



Los Angeles County

This County Health Profile provides data on key health topics for the 7,201,000 adults (age 18 and over) in Los Angeles County. One year estimates are based on the 2011 California Health Interview Survey (CHIS).¹



Demographics ²	% County	% California
Age 18-64	85.1	84.7
Age 65 and over	14.9	15.3
White	30.5	45.6
Latino	44.5	33.3
Asian	15.0	13.1
Black	8.1	5.6
Other Race ³	1.9	2.5
Adults with income less than 200% FPL ⁴	41.2	35.3

Access and Utilization	%	County		California	
		(95% CI)	%	(95% CI)	
Uninsured all or part year (age 18-64)	31.5*	(29.1 - 33.9)	26.4	(25.3 - 27.6)	
Employment-based insurance, all year (age 18-64)	45.1*	(42.7 - 47.5)	51.0	(49.8 - 52.3)	
Medi-Cal or Healthy Families, all year (age 18-64)	12.7	(11.0 - 14.5)	11.2	(10.4 - 12.0)	
Other coverage, all year (age 18-64) ⁵	10.7	(9.3 - 12.1)	11.4	(10.6 - 12.1)	
No usual source of health care ⁶	19.9*	(18.0 - 21.9)	17.2	(16.3 - 18.1)	
Delayed getting prescription drugs or medical services in last year	21.3	(19.6 - 23.1)	21.9	(21.0 - 22.8)	
Health Outcomes					
Serious psychological distress in the last year ⁷	8.1	(6.8 - 9.4)	8.0	(7.4 - 8.6)	
Fair or poor health (age-adjusted) ⁸	22.5*	(20.7 - 24.4)	19.0	(18.2 - 19.9)	
Current asthma ⁹	6.9	(5.9 - 7.9)	7.7	(7.2 - 8.3)	
Ever diagnosed with diabetes ¹⁰	8.7	(7.6 - 9.8)	8.4	(7.8 - 8.9)	
Obese ¹¹	24.3	(22.5 - 26.1)	25.0	(24.1 - 26.0)	
Ever diagnosed with high blood pressure	27.1	(25.3 - 28.9)	27.3	(26.4 - 28.1)	
Health Behaviors					
Engaged in regular walking in the last week ¹²	35.5	(33.4 - 37.6)	34.1	(33.1 - 35.2)	
Ate fruits and vegetables 3 or more times yesterday ¹³	24.1*	(22.3 - 25.8)	27.3	(26.4 - 28.2)	
Current smoker ¹⁴	15.4	(13.7 - 17.1)	14.3	(13.5 - 15.1)	
Binge drinking ¹⁵	29.5	(27.5 - 31.6)	31.4	(30.4 - 32.5)	
Other Factors					
Low-income food insecurity ¹⁶	17.5*	(15.7 - 19.4)	14.8	(13.9 - 15.6)	
Limited English proficiency ¹⁷	34.0*	(31.8 - 36.2)	24.8	(23.8 - 25.8)	

* Statistically significant difference between county and state at p<0.05.

View all Health Profiles: www.healthpolicy.ucla.edu/healthprofiles



Notes

- ¹ To obtain a representative sample and produce one-year estimates, 22,580 randomly selected adults in California participated in
- ² Racial and ethnic categories are based on the Office of Management and Budget (OMB) definitions used in the 2010 Census. For more information, see: *2010 Census Briefs*, issued March 2011. Retrieved December 18, 2012: <http://www.census.gov/prod/cen2010/briefs/c2010br-02.pdf>
- ³ Other Race includes Native Hawaiian, Pacific Islander, American Indian, Alaska Natives, any other race and two or more races.
- ⁴ FPL is the Federal Poverty Level. Poverty estimates for CHIS 2011 have been weighted to the 2010 Current Population Survey and are not comparable to estimates from previous CHIS cycles.
- ⁵ Other coverage includes: 1) Individually purchased private coverage; 2) Other public coverage that is not Medi-Cal or Healthy Families, such as AIM or MRMIP; and 3) Any combination of insurance types during the last year without a period of uninsurance.
- ⁶ Estimates exclude emergency room and urgent care visits as a usual source of care.
- ⁷ Serious Psychological Distress (SPD) is often used as a proxy measure for severe mental illness in a population. Adult respondents were asked 6 questions, known as the “Kessler 6”, to assess symptoms of distress during a 30-day period in the last year.
- ⁸ Age-adjusted to the 2000 U.S. Standard Population.
- ⁹ Defined as ever diagnosed with asthma and reporting current asthma or an asthma attack/episode in the last year.
- ¹⁰ Excludes ever been diagnosed with gestational diabetes. Estimates were not age-adjusted because age-adjustment did not produce meaningfully different estimates.
- ¹¹ Defined as body mass index (weight [kg] / height [m²]) greater than or equal to 30.0.
- ¹² Defined as those who reported at least 150 minutes of walking for transportation or leisure in the last week.
- ¹³ Excludes consumption of fruit juice and fried potatoes.
- ¹⁴ Defined as having smoked at least 100 cigarettes in entire lifetime and currently smokes everyday or some days.
- ¹⁵ Defined as consuming four or more alcoholic drinks on one or more occasion for women and five or more drinks on one or more occasion for men at any point in the last year.
- ¹⁶ Defined as adults under 200% of the federal poverty level who had difficulty reliably putting food on the table in the last year, out of entire population.
- ¹⁷ Defined as adults who speak English less than very well out of the entire population. The question was asked only of those who speak a language other than English at home.



The **UCLA Center for Health Policy Research** is one of the nation’s leading health policy research centers and the premier source of health-related information on Californians.



The **California Endowment**, a private, statewide health foundation, was established in 1996 to expand access to affordable, quality health care for underserved individuals and communities and to promote fundamental improvements in the health status of all Californians. Learn more at: www.calendow.org



The **California Health Interview Survey (CHIS)** is the nation’s largest state health survey and one of the largest health surveys in the United States. Learn more at: www.askchis.com